

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S342	14525	((714/2,4) or (370/401) or (709/227-229)).COLS.	USPAT; USOCR	OR	OFF	2010/04/08 13:11
S344	1	("6683883").PN.	USPAT; USOCR	OR	OFF	2010/04/08 13:14
S343	3	"20040024905"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/08 13:14
S347	6	S346 S342	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 13:31
S346	63	gateway with service iscsi same (fcip or fibre)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 13:31
S345	44	gateway with service iscsi same (fcip or fibre)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/08 13:31
S348	3634	service adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 14:06
S349	3	(fibre or fcip) with iscsi S348 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 14:07

S350	1529	gateway with (implement\$6 or provision\$4) with service @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 14:13
S351	0	(failover or (fail adj over)) same service same (fibre or tcp) same (iscsi or (i adj scsi)) @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 14:18
S352	1	service with failover with gateway same priorit\$6 @ay< "2004"	US-PGPUB; USPAT	AND	ON	2010/04/08 15:26
S357	21	S356 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:27
S356	21	S355 S354	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:27
S355	14525	((714/2,4) or (370/401) or (709/227- 229)).CCLS	USPAT; USOCR	OR	OFF	2010/04/08 15:27
S354	125	service with gateway with priorit\$6 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:27
S353	1	service with failover with gateway same priorit\$6 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:27
S359	0	service with gateway same priorit\$6 @ay< "2004" iscsi fibre	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:28

S358	0	S357 iscsi fibre	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:28
S361	3	gateway same priorit\$6 same iscsi same (fibre or fcp) @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:30
S360	5	gateway with provision \$4 with priorit\$6 with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:30
S366	43	priorit\$6 with network with service with gateway @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:34
S365	3201	priorit\$6 with network with service @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:34
S364	4	priorit\$6 with iscsi with (fibre or fcp) @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:34
S363	0	gateway priorit\$6 with iscsi with (fibre or fcp) @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:34
S362	0	gateway same priorit\$6 with iscsi with (fibre or fcp) @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/08 15:34
S367	1	("5774668").PN.	USPAT; USOCR	OR	OFF	2010/04/08 15:40

S368	14525	((714/2,4) or (370/401) or (709/227-229)).OCLS	USPAT; USOCR	OR	OFF	2010/04/09 11:36
S371	8	S368 S370	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:37
S370	60	gateway with (implement\$6 or provision\$4) with network with (priority or priorit\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:37
S369	60	gateway with (implement\$6 or provision\$4) with network with (priority or priorit\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 11:37
S373	4	S372 iscsi	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:41
S372	38	S370 @ay< "2004"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:41
S374	24	gateway with (select\$4 or chose\$1 or choos\$4) with network with (priority or priorit\$4) @ay< "2004"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:43
S376	76	S368 S375	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:46
S375	399	gateway with (service) with (availab\$4 or availability) with network @ay< "2004"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:46

S377	12	wwnn wwpr gateway iscsi fibre adj channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 11:52
S379	1	S378 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 12:02
S378	1	("7165258").PN.	USPAT; USOCR	OR	OFF	2010/04/09 12:02
S380	3	"20030142628"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 12:34
S381	1	("7260737").PN.	USPAT; USOCR	OR	OFF	2010/04/09 12:36
S382	2	gateway with failover with second with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:11
S383	3	gateway same failover with second with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:13
S384	5	failover with (scsi or iscsi) with (fc or fcp or fibre) @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:14
S385	75	gateway same (priority or prioritiz\$6) with network with (service or resource) @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:15

S386	9	S368 S385	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:16
S388	21	S368 S387 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:35
S387	170	implement\$7 with (service or stor\$4) with first adj network with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:35
S389	2	S388 ((hand\$4 adj off) or handoff)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/09 13:37
S391	14	gateway near15 resum \$4 near15 failure\$1	US-PGPUB; USPAT	AND	ON	2010/04/09 14:58
S390	6	gateway near15 resum \$4 near15 failure\$1 same network\$1	US-PGPUB; USPAT	AND	ON	2010/04/09 14:58
S395	1	S394 not S392	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:34
S394	18	gateway near15 resum \$4 near15 fail\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:34
S393	0	gateway near15 resum \$4 near15 fail\$4 fibre adj channel	US-PGPUB; USPAT	AND	ON	2010/04/09 15:34
S392	17	gateway near15 resum \$4 near15 fail\$4	US-PGPUB; USPAT	AND	ON	2010/04/09 15:34

S396	90	gateway same (resum \$4 or resumption) with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:35
S398	11	S397 S396	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:36
S397	14525	((714/2,4) or (370/401) or (709/227-229)).CCL.S.	USPAT; USOCR	OR	OFF	2010/04/09 15:36
S400	7	gateway same (resum \$4 or resumption) with network S397 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:37
S399	0	gateway same (resum \$4 or resumption) with (priorit\$4 or priority) S397 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:37
S401	339	gateway with (select\$4 or choos\$4 or chosen or higher or faster) with network S397 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:38
S402	9	gateway with (select\$4 or choos\$4 or chosen) with (priority or higher or faster) with network S397 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:39
S403	3	gateway with (chang\$4 or updat\$4) with (priority or higher or faster) with network S397 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:40
S404	6	gateway with (chang\$4 or updat\$4) with network with service with (available or availability or capacity or cable or capabilit \$4) S397 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:41

S405	5	gateway with provision \$4 with local with network S397 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:43
S407	35	gateway with provision \$4 with service with network S397 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:45
S406	61	gateway with provision \$4 with service S397 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 15:45
S408	2	"20040143642"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/09 16:02
L1	139	(ceas\$4 or stop\$4) with service same gateway @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 13:46
L2	45	(ceas\$4 or stop\$4) with service same gateway same (creat\$4 or start\$4) with service @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 13:47
L5	19	L4 I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 13:51
L4	14525	((714/2,4) or (370/401) or (709/227-229)).CCL.S.	USPAT; USOCR	OR	OFF	2010/04/10 13:51
L3	76	(ceas\$4 or stop\$4) with service with gateway @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 13:51



L7	62	14 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:02
L6	322	gateway near 14 service near 14 (available or availability or online) with network @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:02
L9	16	gateway with (service with becom\$4 with (available or online)) @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:05
L8	52	gateway same (service with becom\$4 with (available or online)) @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:05
L10	23	gateway with (service with (available or online) with "same") @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:07
L11	4	gateway with (service with (available or online) with (stop\$4 or ceas\$4)) @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:08
L13	19	service with (both or multiple) with (rank\$4 or priority) with gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:09
L12	2280	service with (both or multiple) with (rank\$4 or priority)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:09

L15	96	I14 @ay<"2004" I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:12
L14	994	gateway with (select\$4 or chose\$1 or choos\$4) with network with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:12
L16	22	gateway with (select\$4 or chose\$1 or choos\$4) with network with service same packet @ay<"2004" I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:13
L17	1	gateway with (select\$4 or chose\$1 or choos\$4) with (fibre or fcp or fcp or (fcp adj ip)) with service @ay<"2004" I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:15
L19	0	gateway with (prefer\$4 or priorit\$4) with (fibre or fcp or fcp or (fcp adj ip)) with service @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:18
L18	0	gateway with (prefer\$4 or priorit\$4) with (fibre or fcp or fcp or (fcp adj ip)) with service @ay<"2004" I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:18
L23	69	I22 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:19
L22	87	gateway (prefer\$4 or priorit\$4) with (fibre or fcp or fcp or (fcp adj ip)) with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:19

L21	1	gateway same (prefer \$4 or priorit\$4) with (fibre or fc or fcp or (fc adj ip)) with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:19
L20	0	gateway with (prefer\$4 or priorit\$4) with (fibre or fc or fcp or (fc adj ip)) with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:19
L24	35	gateway (prefer\$4 or priorit\$4) with (fibre or fc or fcp or (fc adj ip)) with service with network @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:20
L26	8	(prefer\$4 or priorit\$4) near2 network with gateway with service @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:21
L25	57	gateway (prefer\$4 or priorit\$4) with gateway with service with network @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:21
L28	7	l27 l4 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:22
L27	48	(prefer\$4 or priorit\$4) near2 network with gateway @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:22
L30	4	l29 not l28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:23

L29	11	(prefer\$5 or priorit\$4) near2 network with gateway @ay< "2004" I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:23
L32	29	I31 I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:25
L31	199	(select\$4 or determin \$6 or choos\$4 or chos \$4) with network with gateway with (provision \$4 or implement\$6) @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:25
L34	35	I33 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:32
L33	51	temporar\$6 with (implement\$4 or provision\$4) with service same gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:32
L37	67	I36 I4 @ay< "2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:34
L36	1214	(Switch\$4 or chang\$4) with network with service with gateway with (provider or resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:34
L35	5794	(Switch\$4 or chang\$4) with network with service with gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:34

L40	14	l39 l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:36
L39	70	l38 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:36
L38	158	(Switch\$4 or chang\$4) with network with service with gateway with (availab\$6 or online or active)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:36
L41	3	chang\$4 with network with gateway with (available or availability) @ay<"2004" l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:43
L42	1	chang\$4 with network with (available or online) with (provision \$4 or implement\$4) same gateway @ay<"2004" l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:44
L43	1	(updat\$4 or modif\$7) with network with (available or online) with (provision\$4 or implement\$4) same gateway @ay<"2004" l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:45
L44	1	l43 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:46
L45	22	gateway with local\$4 with remote\$4 with (resource or service) with (available or online) @aY<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:47

L47	2	gateway same local\$4 with remote\$4 with (resource or service) with (available or online) I4 @aY<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:51
L46	4	gateway same local\$4 with remote\$4 with (resource or service) with (available or online) with (chang\$4 or updat\$4 or switch \$4) @aY<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:51
L48	22	gateway same local\$4 with remote\$4 with (available or online) I4 @aY<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:52
L49	1	(implement\$4 or provision\$4) with (remote\$2 or external) with local\$4 with (service or resource) with (switch\$4 or chang \$4 or updat\$4) with (available or online or active) I4 @aY<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:54
L50	30	(switch\$4 or chang\$4) with (provid\$4) with (resource or service) with (online or active or available) with gateway @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:57
L51	0	(iscsi with (fc or fcp or fibre)) with gateway updat\$4 with map\$4 @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/10 14:59
L59	3	"20040024905"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/04/10 15:36
L58	1	("6683883").PN.	USPAT; USOCR	OR	OFF	2010/04/10 15:36

## EAST Search History (Interference)

&lt; This search history is empty &gt;

**4/10/2010 4:43:48 PM**

**C:\Documents and Settings\gford1\My Documents\EAST\Workspaces\10699577 - gateway services.wsp**